

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

10/036845

1/24  
24 ECG




Fig. 1

10036845.122101

10036845-122101




Fig. 2

30

A 4x4 grid diagram with a thick black border. The grid contains numbers in each cell, with the bottom-right cell shaded. The numbers are arranged as follows:

1	2	3	4
5	6	15	8
9	10	11	12
13	14	7	

Fig. 3

10036845 122101





Fig. 4



**Fig. 5**




Fig. 6




Fig. 7






Fig. 8

10036845-122101




Fig. 9

10036845-122101

10036845-122101




Fig. 10




Fig. 11

10036845.122101




Fig. 12

Title: Stowage and Retrieval System  
Applicant: KARLEN, JAMES P.  
Serial No.: To Be Assigned  
Docket: 27472-1




Fig. 13

10036845-122101

10036845.122101




Fig.14

10036845-122101




Fig. 15






Fig. 16

10036845-122101





Fig. 17




Fig. 18

10036845-122101




Fig. 19

10036845-122101




Fig. 20




Fig. 21

10036845-122101





Fig. 22


10036845-122101

130



132



130



134



136




Fig. 23

10036845-122101






Fig. 24